



Solid Carbide Drills

High Performance 5XD

Two Flute
Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-401181	.1181	-	-	3.00	19	51
450-401200	.1200	31	-	3.05	3/4	2
450-401250	.1250	-	1/8	3.17	3/4	2
450-401285	.1285	30	-	3.26	3/4	2-1/4
450-401360	.1360	29	-	3.45	7/8	2-1/4
450-401378	.1378	-	-	3.50	22	57
450-401405	.1405	28	-	3.57	7/8	2-1/4
450-401406	.1406	-	9/64	3.57	7/8	2-1/4
450-401440	.1440	27	-	3.67	7/8	2-1/4
450-401470	.1470	26	-	3.73	7/8	2-1/4
450-401495	.1495	25	-	3.80	15/16	2-1/4
450-401520	.1520	24	-	3.86	15/16	2-1/4
450-401540	.1540	23	-	3.91	15/16	2-1/4
450-401562	.1562	-	5/32	3.97	15/16	2-1/2
450-401570	.1570	22	-	3.99	15/16	2-1/2
450-401575	.1575	-	-	4.00	24	63.5
450-401590	.1590	21	-	4.04	15/16	2-1/2
450-401610	.1610	20	-	4.09	15/16	2-1/2
450-401660	.1660	19	-	4.22	1	2-1/2
450-401695	.1695	18	-	4.30	1	2-1/2

HIGH PERFORMANCE
DRILLS



Solid Carbide Drills

High Performance 5XD

Two Flute
Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-401719	.1719	-	11/64	4.37	1	2-1/2
450-401730	.1730	17	-	4.39	1	2-1/2
450-401770	.1770	16	-	4.49	1	2-1/2
450-401772	.1772	-	-	4.50	25	63.5
450-401800	.1800	15	-	4.57	1	2-3/4
450-401820	.1820	14	-	4.62	1	2-3/4
450-401850	.1850	13	-	4.70	1-1/4	2-3/4
450-401875	.1875	-	3/16	4.76	1-1/4	2-3/4
450-401890	.1890	12	-	4.80	1-1/4	2-3/4
450-401910	.1910	11	-	4.85	1-1/4	2-3/4
450-401935	.1935	10	-	4.91	1-1/4	2-3/4
450-401960	.1960	9	-	4.98	1-5/16	3
450-401969	.1969	-	-	5.00	33	76
450-401990	.1990	8	-	5.05	1-5/16	3
450-402010	.2010	7	-	5.10	1-5/16	3
450-402031	.2031	-	13/64	5.16	1-5/16	3
450-402040	.2040	6	-	5.18	1-3/8	3
450-402055	.2055	5	-	5.22	1-3/8	3
450-402090	.2090	4	-	5.31	1-3/8	3
450-402130	.2130	3	-	5.41	1-3/8	3



Solid Carbide Drills

High Performance 5XD

Two Flute
Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-402165	.2165	-	-	5.50	35	76
450-402188	.2188	-	7/32	5.56	1-3/8	3
450-402210	.2210	2	-	5.61	1-3/8	3
450-402280	.2280	1	-	5.79	1-3/8	3
450-402340	.2340	A	-	5.94	1-1/2	3-1/4
450-402344	.2344	-	15/64	5.95	1-1/2	3-1/4
450-402362	.2362	-	-	6.00	38	82.5
450-402380	.2380	B	-	6.04	1-5/8	3-1/4
450-402420	.2420	C	-	6.15	1-5/8	3-1/4
450-402460	.2460	D	-	6.25	1-5/8	3-1/4
450-402500	.2500	E	1/4	6.35	1-5/8	3-1/4
450-402559	.2559	-	-	6.50	41	82.5
450-402570	.2570	F	-	6.53	1-11/16	3-1/4
450-402610	.2610	G	-	6.63	1-11/16	3-1/2
450-402656	.2656	-	17/64	6.75	1-11/16	3-1/2
450-402660	.2660	H	-	6.76	1-11/16	3-1/2
450-402720	.2720	I	-	6.91	1-11/16	3-1/2
450-402756	.2756	-	-	7.00	43	89
450-402770	.2770	J	-	7.03	1-11/16	3-1/2
450-402810	.2810	K	-	7.14	1-3/4	3-1/2

HIGH PERFORMANCE
DRILLS



Solid Carbide Drills

High Performance 5XD

Two Flute

Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-402812	.2812	-	9/32	7.14	1-3/4	3-1/2
450-402900	.2900	L	-	7.37	1-3/4	3-1/2
450-402950	.2950	M	-	7.49	1-3/4	3-3/4
450-402953	.2953	-	-	7.50	44	95
450-402969	.2969	-	19/64	7.54	1-7/8	3-3/4
450-403020	.3020	N	-	7.67	1-7/8	3-3/4
450-403125	.3125	-	5/16	7.94	1-7/8	3-3/4
450-403150	.3150	-	-	8.00	48	95
450-403160	.3160	O	-	8.03	1-7/8	3-3/4
450-403230	.3230	P	-	8.20	2-3/32	3-3/4
450-403281	.3281	-	21/64	8.33	2-3/32	4
450-403320	.3320	Q	-	8.43	2-3/32	4
450-403346	.3346	-	-	8.50	53	101.6
450-403390	.3390	R	-	8.61	2-3/32	4
450-403438	.3438	-	11/32	8.73	2-3/16	4
450-403480	.3480	S	-	8.84	2-3/16	4
450-403543	.3543	-	-	9.00	55.5	101.6
450-403580	.3580	T	-	9.09	2-9/32	4-1/4
450-403594	.3594	-	23/64	9.13	2-9/32	4-1/4
450-403680	.3680	U	-	9.35	2-9/32	4-1/4



Solid Carbide Drills

High Performance 5XD

Two Flute
Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-403740	.3740	-	-	9.50	58	108
450-403750	.3750	-	3/8	9.52	2-3/8	4-1/4
450-403770	.3770	V	-	9.57	2-3/8	4-1/4
450-403860	.3860	W	-	9.80	2-3/8	4-1/2
450-403906	.3906	-	25/64	9.92	2-3/8	4-1/2
450-403937	.3937	-	-	10.00	60	114
450-403970	.3970	X	-	10.80	2-1/2	4-1/2
450-404040	.4040	Y	-	10.26	2-9/16	4-1/2
450-404062	.4062	-	13/32	10.32	2-9/16	4-1/2
450-404130	.4130	Z	-	10.49	2-5/8	4-1/2
450-404134	.4134	-	-	10.50	67	114
450-404219	.4219	-	27/64	10.72	2-11/16	4-1/2
450-404331	.4331	-	-	11.00	68	114
450-404375	.4375	-	7/16	11.11	2-13/16	4-3/4
450-404528	.4528	-	-	11.50	71	121
450-404531	.4531	-	29/64	11.51	2-7/8	4-3/4
450-404688	.4688	-	15/32	11.91	2-7/8	4-3/4
450-404724	.4724	-	-	12.00	73	121
450-404844	.4844	-	31/64	12.30	3	5-5/16
450-404921	.4921	-	-	12.50	76	135

HIGH PERFORMANCE
DRILLS



Solid Carbide Drills

High Performance 5XD

Two Flute
Tialn coated



450-205000

ITEM NUMBER	DECIMAL	LETTER / #	FRACTION	METRIC	LENGTH OF CUT	OVERALL LENGTH
450-405000	.5000	-	1/2	12.70	3-1/16	5-3/8
450-405118	.5118	-	-	13.00	78	136.5
450-405156	.5156	-	33/64	13.10	3-1/8	5-3/8
450-405312	.5312	-	17/32	13.49	3-5/16	5-11/16
450-405315	.5315	-	-	13.50	84	144
450-405469	.5469	-	35/64	13.89	3-3/8	5-13/16
450-405512	.5512	-	-	14.00	86	148
450-405625	.5625	-	9/16	14.29	3-1/2	5-15/16
450-405709	.5709	-	-	14.50	89	151
450-405781	.5781	-	37/64	14.68	3-1/2	6
450-405906	.5906	-	-	15.00	90	152.4
450-405938	.5938	-	19/32	15.08	3-9/16	6
450-406094	.6094	-	39/64	15.48	3-11/16	6-3/16
450-406102	.6102	-	-	15.50	94	157
450-406250	.6250	-	5/8	15.87	3-3/4	6-5/16
450-406299	.6299	-	-	16.00	95	160